Perennial Collection





105









Our Dolce lineup offers exceptional coloration, glamour, and perennial value for a range of garden spaces, from containers to landscapes. These are extremely versatile plants that provide year-round foliage interest.

DOLCE® 'Appletini' Heuchera USPPAF CanPBRAF

'Appletini' is the ideal combination of lightly silvered, lime green foliage and ruby red flowers starting in early summer, reblooming into fall. We're bringing the coral bells back into coral bells!

DOLCE® 'Blackberry Ice' Heuchera USPP26788 Can5099

Emerges a remarkable iridescent purple with black veining in spring, then develops a luminescent pewter overlay. Cream flowers appear in midsummer without vernalization. H. villosa hybrid; naturally vigorous with good heat and humidity tolerance.

DOLCE® BRAZEN RAISIN™ Heuchera 'Inheubrara' USPP27568 Can5296

With greatly improved flower power compared to many dark-leaf forms, Brazen Raisin™ carries pretty panicles of hot pink buds and pale pink to white flowers above its near-black foliage in midsummer, reblooming into fall. Blooms without vernalization.

DOLCE® CINNAMON CURLS™ Heuchera 'Inheuredfu' USPP25648 Can5154 Distinctively ruffled, coppery orange foliage with red and purple undertones forms a neatly compact, rounded mound. Consistent color all season on uniform plants. Excellent in container combinations.

DOLCE® Crème Brûlée Heuchera TNHEU041' USPP16774 Can2563

Foliage emerges a rich caramel orange in spring, then turns more gold during the warmest months of the year. Glowing orange tones return in fall. Excellent in spring and fall combinations.

DOLCE® 'Silver Gumdrop' Heuchera USPPAF Canpbraf



Growing Tips for DOLCE®

- For best foliage coloration, avoid scorching light.
- Needs to 75-100 ppm N constant liquid feed and light shade for optimal growth.
- Botrytis can be a problem under cold, wet, low-light conditions.

Additional Culture Information for DOLCE®

Rooting Out Temperature: 65-72° F (18-22° C)

pH/EC: 5.5 - 6.2 / 2.0 - 3.0 pour-through method

65-72° F (18-22° C) Growing Temperature: 40-50° F (4-10° C) outdoors Holding Temperature: Water Requirements: Moderate to Moist When to Plant: Late Summer to Late Spring

Finish Times in Weeks: 72s - 4-5': 5-6 wks or 6"/Gallon: 7-9 wks

20s - 6"/Gallon: 6-8 wks

Spring Outdoor Finish: Last to go outside

Notes: No pinching or growth regulators needed. Finished spring plants can be moved outside to take advantage of cool temperatures for holding purposes only.





Recommended Container: Premium 1-Gallon

PRIMO™ Heuchera (Coral Bells) LANDSCAPE Zones 4-9 Zones 4-9 Zones 4-9









Looking for larger, more vigorous varieties of coral bells that thrive in the landscape and very large containers? Primo™ Heucheras are an ideal choice. Their *H. villosa* parentage makes them naturally robust with good heat and humidity tolerance. We're just getting started with this series; just wait to see what we have coming next!

PRIMO™ 'Black Pearl' Heuchera USPPAF CanPBRAF

The darkest Heuchera we've seen. Shiny jet black, large leaves measure up to 4" across, becoming ruffled as they mature and retaining their color even in full sun. White flowers with pink calyxes appear in midsummer on vernalized plants.

PRIMO™ 'Pretty Pistachio' Heuchera USPPAF CanPBRAF

The total package, offering bold chartreuse to lime green foliage and large clusters of pink flowers which appear continuously from midsummer to early fall. Flowers age to raspberry pink and dry in place on the stems.

Growing Tips for PRIMO™

- For best foliage coloration, avoid scorching light.
- Needs to 75-100 ppm N constant liquid feed and light shade for optimal growth.
- Botrytis can be a problem under cold, wet, low-light conditions.

Additional Culture Information for PRIMO™

5.5 - 6.2 / 2.0 - 3.0 pour-through method

Rooting Out Temperature: 65-72° F (18-22° C) 65-72° F (18-22° C) Growing Temperature: Holding Temperature: 40-50° F (4-10° C) outdoors Water Requirements: Moderate to Moist When to Plant: Late Summer to Late Spring

Finish Times in Weeks: 72s - 4-5': 5-6 wks or 6"/Gallon: 7-9 wks

20s - 6"/Gallon: 6-8 wks

Spring Outdoor Finish: Last to go outside

Notes: No pinching or growth regulators needed. Finished spring plants can be moved outside to take advantage of cool temperatures for

holding purposes only.



Heuchera USPPAF Can

O (8-10"





PRIMO™ 'Pretty Pistachio' Heuchera USPPAF CanPBRAF



TUSCAN Heliopsis (False Sunflower)

For customers seeking plants with native roots that benefit pollinators, Tuscan Heliopsis varieties offer an ideal solution. These cheerful, easy to grow, native cultivars offer tremendous flower power over several months on bushy, mounded plants.

TUSCAN GOLD™ Heliopsis helianthoides 'Inhelsodor' USPPAF CanPBRAF 'Tuscan Sun' Heliopsis helianthoides USPP18763

Tuscan Gold™ is a friendly companion for 'Tuscan Sun', with slightly larger, more yellow flowers on taller plants. Both exhibit good disease resistance, making them excellent replacements for Rudbeckia in disease-prone climates. Heliopsis also offers heat tolerance, acceptance of drier soils, and rebloom with deadheading.

AWARD WINNER - 'Tuscan Sun' Heliopsis

12 Awards including: Best Varieties, Colorado State University; Top New Varieties, Penn State; Top Five, Michigan State University; Knock Your Socks Off, University of Georgia





Growing Tips for TUSCAN

- Requires high light for optimal growth.
- 100-150 ppm N constant liquid feed for optimal growth.
- No PGR necessary. Pinch once for increased branching on smaller containers. Pinch 1 to 2 times for larger container sizes.
- Early season production not recommended due to light quality and heat requirements. Can be grown in late summer and overwintered for spring sales or grown in late spring for summer sales. Requires long days to grow and flower. Any short days in production will cause the plants to rosette.

Additional Culture Information for TUSCAN

5.8 - 6.2 / 2.5 - 3.0 pour-through method

Rooting Out Temperature: 65-72° F (18-22° C) Growing Temperature: 55-65° F (12-18° C) Holding Temperature: 40-50° F (4-10° C) outdoors Water Requirements: Moderate to Moist When to Plant: Late Summer or Spring

Finish Times in Weeks: 72s - 4-5": 8-9 wks or 6"/Gallon: 9-11 wks

Bare Root - 6"/Gallon: 7-8 wks

Spring Outdoor Finish: Last to go outside

Note: Resistant to powdery mildew





24-32" Zones 4-9



'Tuscan Sun' Heliopsis helianthoides USPP18763

20-24" Zones 3-9

Recommended Container: Premium 1-Gallon Recommended Container: from 72ct plug - Trade 1-Gallon; from #1 grade bare root - Premium 1-Gallon

SWEET ROMANCE® Lavandula (Lavender) Lavandula (Lavender) 12-18" Zones 5-9





With rich-colored, long-blooming flowers all season, you can depend on this plant to perform in strides. And because it blooms the first year with little or no vernalization, it is a quick crop for growers, even those in the warmest climates.

Growing Tips for SWEET ROMANCE®

- Vernalization is not required for plants to flower. However, vernalized plants will come into flower faster and more consistently.
- Fresh plugs grown in spring will bloom the first year. However, plugs planted in late summer will result in fuller plants to sell in spring.
- For a quick finishing crop, start with bare root liners planted in spring.
- Lavender is a very light feeder and grows well under a constant liquid fertilizer program with rate of 50-75 ppm N.
- One pinch may be necessary for small plugs.
- Lavender prefers a cool start until roots are established.
- High light produces a better quality plant.

Additional Culture Information for SWEET ROMANCE®

5.8 - 6.2/1.25 - 1.75 pour-through method

Rooting Out Temperature: 65-68° F (18-20° C) 60-65° F (15-18° C) Growing Temperature: Holding Temperature: 40-50° F (4-10° C) outdoors Slightly Dry to Moist Water Requirements: When to Plant: Summer through Spring

Finish Times in Weeks: 72s - 4-5": 8-10 wks or 6"/Gallon: 14-16 wks

Bare Root - 6"/Gallon: 8-10 wks

Spring Outdoor Finish: First to go outside

Note: Lavender can be forced into bloom throughout the year. To force lavender, provide 16-hour days of light or a 4-hour night interruption. Minimum light intensity is 10 foot candles. Watch for damping-off, leaf spot, and root rot.

AWARD WINNER - Sweet Romance® 2 Awards: Top Performer, Lucas Greenhouse; Top Performer, Cornell University SWEET ROMANCE® Lavandula angustifolia 'kerlavangem' USPP23001 Can4906

AMAZING DAISIES® Leucanthemum (Shasta Daisy) LANDSCAPE O Zones 5-9 🔀







AMAZING DAISIES® 'Banana Cream' Leucanthemum superbum USPP23181 Can4203

This picture perfect daisy is a vigorous grower with a compact habit, excellent disease resistance, and axillary budding which results in a longer season of bloom. Large 4-5" flowers open lemon yellow and mature to creamy white on strong stems atop attractive deep green foliage.

AMAZING DAISIES® DAISY MAY®

Leucanthemum superbum 'Daisy Duke' USPP21914 Can4376

This plant is the gold standard in white shasta daisies, with beautiful 3" white flowers that form a solid dome of blooms. Daisy May is a compact, easy-to-grow perennial with a long bloom time. Deadheading results in multiple rounds of rebloom.

AWARD WINNER -

AMAZING DAISIES® 'Banana Cream' Leucanthemum Top Performer, Erie Basin Marina

AMAZING DAISIES® DAISY MAY® Leucanthemum

3 Awards including: Plant of Merit, University of Georgia; Top Performer, Calgary Zoo and Botanic Garden; Top Performer, Erie Basin Marina

Growing Tips for AMAZING DAISIES®

- High light in production is essential.
- Avoid overwatering. Plants grown too dry will often be shorter and will have delayed flowering and fewer flowers.
- Cold vernalization adds to bud count, but warmer temperatures are needed to elongate flower stems.
- Needs 100-125 ppm N constant liquid feed for optimal growth.

Additional Culture Information for AMAZING DAISIES®

5.8 - 6.2 / 2.0 - 3.0 pour-through method pH/EC:

Rooting Out Temperature: 65-72° F (18-22° C) 55-65° F (12-18° C) Growing Temperature: Holding Temperature: 40-50° F (4-10° C) outdoors Water Requirements: Moderate to Moist

When to Plant: Late Summer/Early Fall (fresh liners) or Spring (vernalized liners) Finish Times in Weeks: 72s - 4-5": 6-8 wks or 6"/Gallon: 7-9 wks 30s - 6"/Gallon: 6-8 wks

· 12-24"

Spring Outdoor Finish: First to go outside

Notes: For Daisy May, vernalization requirement is only 4 weeks. 'Banana Cream' has an obligate cold requirement for flowering; provide 6-9 weeks of cold when vernalizing. Scout regularly for aphids.



Recommended Container: Premium 1-Gallon

'Cat's Meow' Nepeta (Catmint) ANDSCAPE O T17-20" Zones 3-8







No catmint is a more beautiful, uniform grower than 'Cat's Meow.' Its flowers are dense and colorful, and its habit is more refined. Plus, it stands strong with no flopping, getting wider and growing into a broad mound as the season progresses. In addition, this exceptional catmint makes a great quick-finishing crop.

Growing Tips for 'Cat's Meow'

'Cat's Menw

Nepeta faassenii USPP24472 Can5098

- Overfeeding will result in soft, leggy growth with delayed flowering.
- Plugs may require a pinch or two after transplanting.
- Incorporate controlled release fertilizer into growing media at a rate equivalent to 1 pound of nitrogen per yard of medium. Or use a water-soluble fertilizer at a rate of 75-100 ppm N at each watering.
- High light levels are required in production to avoid stretching.



Additional Culture Information for 'Cat's Meow'

6.0 - 6.5/EC 1.5 - 2.0 pour-through method

Rooting Out Temperature: 65°- 68° F (18-20° C) Growing Temperature: 60°-65° (15-18° C) 40°- 50° (4-10° C) outdoors Holding Temperature: Water Requirements: Slightly Dry to Moist

When to Plant: Late Summer/Early Fall to Spring Finish Times in Weeks: Bare Root - 6"/Gallon: 7-8 wks 72s - 4-5": 5-7 wks or 6"/Gal: 8-10 wks

Second to go outside Spring Outdoor Finish:

Notes: Watch for aphids, leafhoppers, slugs, snails, spidermites, whiteflies. Potential diseases include powdery mildew, leaf spots, bacterial leaf spot. and stem and root rots.

AWARD WINNER - 'Cat's Meow' Nepeta

Top Performer, University of Minnesota-Morris; Top Performer,



COLOR SPIRES Violet Riot' Salvia (Perennial Salvia)





Every perennial collection should include Salvia. This refined, heavily blooming cultivar provides a more concentrated show of vibrant violet-blue color on uniform, densely branched plants. It has perfect presentation in containers and terrific impulse appeal on the retail bench.

'Violet Riot' blooms from late spring into early summer and is hardy all the way down to frigid zone 3. Recommend it to customers looking for reliable, deer resistant perennials that attract pollinators.

Growing Tips for COLOR SPIRES® 'Violet Riot'

- If starting with small plugs, start them in late summer for bulking purposes. Bare root is a good spring planting option.
- High light levels are essential in production for optimal growth.
- Requires 75-100 ppm N constant liquid feed fertilizer for optimal growth.
- One pinch may be necessary for small plugs.
- Growing plants under proper conditions can help prevent the need for PGRs. If necessary, apply 2500 ppm of B-Nine 2-3 times at weekly intervals as the flower stems begin to elongate.
- Vernalization is not required, but vernalized plants will flower in a shorter amount of time with increased bud counts.

Additional Culture Information for Color Spires® 'Violet Riot'

5.8 - 6.2/2.0-3.0 pour-through method

Rooting Out Temperature: 65-70°F (18-21°C) Growing Temperature: 55-65°F (13-18°C) 40-50°F (4-10° C) outdoors Holding Temperature: Water Requirements: Moderate to moist

When to Plant: Late Summer/Early Fall (fresh plugs) or

Spring (vernalized plugs or bare root) Finish Times in Weeks: 72s – 4-5": 6-7 wks or 6"/Gallon: 8-10 wks

#1 Grade Bare Root – 6"/Gallon: 6-8 wks

Spring Outdoor Finish: Second to go outside

Notes: Watch for two-spotted spider mites; scout and treat as needed. Provide good airflow, low humidity levels, and space plants adequately to avoid issues with powdery mildew.



COLOR SPIRES® 'Violet Riot' Salvia nemorosa USPP26273 CanPBRAF





MAGIC SHOW® 'Enchanted Indigo' Veronica USPP26603 CanPBRAF

This picture perfect perennial forms a compact, upright clump of bright green, glossy foliage topped with enchanting royal purple flower spikes in early through midsummer and again in early fall, blooming without vernalization. Compared to 'Hocus Pocus', this is a more upright veronica that works well in combination containers and flower borders.

MAGIC SHOW® 'Hocus Pocus' Veronica USPP23853

An incredible landscape performer, 'Hocus Pocus' forms a wide, low mat of healthy, bright green foliage topped with long spikes of vivid violet purple flowers in early through midsummer on vernalized plants. It is remarkable when planted en masse at the border's edge.

MAGIC SHOW® 'Pink Potion' Veronica USPP23853 CanPBRAF Replacing 'Sweet Lullaby' is a larger, stronger growing selection that is well-matched to others in the series. Low growing, deep green foliage is topped with loads of baby pink flower spikes that cover the top half of the plant. Similar to 'Enchanted Indigo' in habit and landscape performance, but requires vernalization to bloom.

MAGIC SHOW® 'White Wands' Veronica USPP23853 CanPBRAF This clean white flowering, perfectly proportional Veronica forms an upright clump of dark green, disease resistant foliage, blooming from mid thru late summer. Growers will appreciate that 'White Wands' does not require vernalization to bloom.

Growing Tips for MAGIC SHOW®

- 'Enchanted Indigo' and 'White Wands' do not require vernalization to bloom, but are cold beneficial (4-9 wks). 'Hocus Pocus' and 'Pink Potion' require a 9 week vernalization to bloom.
- 'Enchanted Indigo' and 'White Wands' work best in quarts and gallons. 'Hocus Pocus' and 'Pink Potion' may be grown in 1 or 2 gal containers.
- Treat with a preventative broad spectrum fungicidal drench one week after transplant.
- Requires 75-100 ppm N fertilizer at a constant liquid feed for optimal growth.
- Veronica is daylength neutral.

Additional Culture Information for MAGIC SHOW®

5.5 - 6.2 / 2.0 - 3.0 pour-through method

Rooting Out Temperature: 65-72° F (18-22° C) Growing Temperature: 65-72° F (18-22° C) Holding Temperature: 40-50° F (4-10° C) outdoors Moderate to Moist

Water Requirements: When to Plant: Late Summer (fresh) or Spring (vernalized)

Finish Times in Weeks: Fresh 72s - plant summer prior

Vernalized 72s - 4-5": 6-8 wks or 6"/Gallon: 10-12 wks

Bare Root - 6"/Gallon: 6-8 wks

Spring Outdoor Finish: Second to go outside

Notes: B-9 at 2500ppm or Sumagic® at 5ppm can help control stretch if needed. If growing in 2 gal containers, a pinch may be needed. Though these cultivars are resistant, poor growing conditions can lead to powdery and downy mildew. Scout for aphids and thrips. Treat plants as needed.



MAGIC SHOW® 'Hocus Pocus' Veronica , 16-20"



MAGIC SHOW® 'Pink Potion' Veronica _____14-16"



MAGIC SHOW® 'White Wands' Veronica 14-16

'Enchanted Indigo' Veronica . 16-18"

MAGIC SHOW®



113

Perennial Culture Information

Perennial	Sales Window (Flower)	Transplant	Starting Materials	Cold Treatment - Ve Cold Requirement	rnalization Duration (wks)	Finishing Schedules ar Finish Time (Wks)	nd Guidelines Temperature (24 hour Ave)	Photoperiod (Day Length)
Heliopsis – Tuscan Gold™ 'Tuscan Sun'	Late Spring to Summer	Late Summer or Spring	Fresh or Vernalized Liners	No Cold Required	0	72s: 4-5" 8-9 wks 6"/Gal 9-11 wks Bare Root: 6"/Gal 7-8 wk	63-68° F	Long Day Required
Heuchera — Dolce® series Primo™ series	Early Spring to Fall (Summer and Fall – Foliage Only)	Late Summer to Late Spring	Fresh or Vernalized Liners	Cold Required (Only for Flowering) Not required for Black Ice or Brazen Raisin	6 to 9 berry	72s: 4-5" 5-6 wks 6"/Gal 7-9 wks 20s: 6"/Gal 6-8 wks	65-68° F	Day Neutral
Lavandula – Sweet Romance®	Late Spring to Early Summer	Summer through Fall Spring	Fresh or Vernalized Liners Bare Root	Cold Beneficial	10	72s: 4-5" 8-10 wks 6"/Gal 14-16 wks Bare Root: 6"/Gal 8-10 wks	65-68° F	Long Day Required
Leucanthemum – Amazing Daisies® series	Late Spring to Summer	Late Summer/Early Fall Spring	Fresh Liners – Fall Vernalized Liners – Spring	'Banana Cream' — Cold Required Others — Cold Beneficial	6 to 9	72s: 4-5" 6-8 wks 6"/Gal 7-9 wks 30s: 6"/Gal 6-8 wks	65-68° F	Long Day Beneficial
Nepeta – 'Cat's Meow'	Late Spring to Summer	Late Summer/Early Fall Spring	Fresh or Vernalized Liners Bare Root	Cold Beneficial	6 to 8	Bare Root: 6"/Gal 7-8 w 72s: 4-5" 5-7 wks 6"/Gal 8-10 wks	ks 60-65° F	Long Day Required
Salvia – Color Spires® 'Violet Riot'	Late Spring to Summer	Late Summer to Spring	Fresh Liners (Summer Only) Vernalized Liners Bare Root	Cold Beneficial (Highly recommended but not required for flowering)	6 to 9	72s: 4-5" 6-7 wks 6"/Gal 8-10 wks Bare Root: 6"/Gal 6-8 wks	62-68° F	Long Day Beneficial
Veronica – Magic Show® series	Late Spring to Summer	Late Summer to Spring	Fresh Liners - Summer only Vernalized Liners or Bare Root in Spring	Cold Required for 'Hocus Pocus' and 'Pink Potion' Cold Beneficial for 'Enchanted Indigo' and 'White Wands'	9	Fresh 72s: Plant summer prior. Vernalized 72s: 4-5" 6-8 wks 6"/Gal 10-12 wks Bare Root: 6"/Gal 6-8 wks	65-68° F	Day Neutral

Proven Winners Perennial Availability	Sobkowich Greenhouses	Nordic Nurseries	
TUSCAN GOLD™ and 'Tuscan Sun' Heliopsis	50 Cell Liners	_	
DOLCE® 'Appletini' <i>Heuchera</i>	50 Cell Liners	50 Cell Liners	
DOLCE® 'Blackberry Ice' <i>Heuchera</i>	50 Cell Liners	50 Cell Liners	
DOLCE® BRAZEN RAISIN™ <i>Heuchera</i>	50 Cell Liners	50 Cell Liners	
DOLCE® CINNAMON CURLS™ Heuchera	50 Cell Liners	50 Cell Liners	
DOLCE® Crème Brûlée <i>Heuchera</i>	50 Cell Liners	50 Cell Liners	
DOLCE® 'Silver Gumdrop' <i>Heuchera</i>	50 Cell Liners	50 Cell Liners	
PRIMO™ 'Black Pearl' <i>Heuchera</i>	50 Cell Liners	50 Cell Liners	
PRIMO™ 'Pretty Pistachio' Heuchera	50 Cell Liners	50 Cell Liners	
SWEET ROMANCE® Lavandula	50 Cell Liners	50 Cell Liners	
AMAZING DAISIES® series Leucanthemum	50 Cell Liners	_	
'Cat's Meow' <i>Nepeta</i>	50 Cell Liners	_	
COLOR SPIRES® 'Violet Riot' Salvia	50 Cell Liners	_	
MAGIC SHOW® series Veronica	50 Cell Liners	_	

114

